



**File Name:** bose am 15 manual.pdf  
**Size:** 1533 KB  
**Type:** PDF, ePub, eBook  
**Category:** Book  
**Uploaded:** 30 May 2019, 23:29 PM  
**Rating:** 4.6/5 from 594 votes.

**Status:** AVAILABLE

Last checked: 11 Minutes ago!

**In order to read or download bose am 15 manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

- [Register a free 1 month Trial Account.](#)
- [Download as many books as you like \(Personal use\)](#)
- [Cancel the membership at any time if not satisfied.](#)
- [Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bose am 15 manual . To get started finding bose am 15 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# bose am 15 manual

Manufactured under license from Dolby Laboratories. "Dolby" and the doubleD symbol are trademarks of Dolby Laboratories. Repack every thing in the original carton and contact your authorized Bose dealer immediately. Proper mounting will ensure optimum performance and safety from your system. Note The Acoustimass 15 Series II may be upgraded by adding a center rear cube speaker array. See "Upgrading your Acoustimass 15 Series II speaker system" on page 12. You may obtain additional rubber feet part number 17832104, free of charge, by contacting Bose included with your system. Place the module at the same end of the room as the television monitor. For upgrading information, see "Upgrading your Acoustimass 15 Series II speaker system" on page 12. Note The Acoustimass 15 Series II system may be upgraded by adding a center rear cube speaker array. See "Upgrading your Acoustimass 15 Series II speaker system" on page 12. The system input cable has a multipin connector on one end and several wire pairs on the other. The wire pairs of the cable may be separated or "unzipped" as much as needed to comfortably reach the surround receiver connections. If you still have a problem, contact your Bose arrange for service. We have 3 Bose Acoustimass 15 Series II manuals available for free PDF download Manual, Owners Manual, Quick Setup Manual Or, to Con. Learn more or change settings here. Just type your request below Quick tip Try searching for just one or two words e.g., connection help. Before you begin. Page 5 Placing your speakers to achieve realistic home theater sound Setting Up. Figure 1. Carton contents Suggested home theater Connecting the speakers Always con. Page 9 Setting Up Press the termi Page 11 Setting Up. Figure 6 Checking the connections. Page 13 Setting your digital surround sound receiver Using your system. For realistic home theater sound. Be sure to get the digital audio signal Page 15 Customer service Reference. Troubleshooting Cleaning the speakers. <http://aspirecambodia-edu.org/userfiles/conair-hair-cutter-manual.xml>

- **bose acoustimass 15 manual, bose acoustimass 15 service manual, bose acoustimass 15 ii manual, bose acoustimass 15 iii manual, bose acoustimass 15 series iii manual, bose acoustimass 15 series 2 manual, bose acoustimass 15 manual pdf, bose acoustimass 15 user manual, bose acoustimass 15 instruction manual, bose acoustimass 15 subwoofer manual, bose am15 manual instructions, bose am15 manual review, bose am15 manual download, bose am15 manual pdf.**

Page 17 Accessories Reference. Warranty period. For further information, see "Accessories" on page 14. You may want to familiarize yourself with the controls and built-in protections that adjust. Details of the limited warranty are provided on the warranty card that came with your system. Consumer Electronics, If you follow any of those links and end up acquiring a manual, it will not be from us. Here is why we may deserve your business. We love our Vintage Audio and other built-to-last electronics equipment in an age of disposable products for a throwaway society. We might sell the kids before our classic silver Pioneer or Vintage Marantz, Kenwood and Sansui gear. If you also value High Quality Manuals that enhance the ownership satisfaction of your vintage audio treasures, you found the right place. continued below. It IS Our Guiding Principle Add Site to your Favorites Other sites we host Phase Linear History Vintage Technics Database We sponsor two free Yahoo Audio Groups We are meticulous and give genuine best efforts to produce clean, well-constructed manuals for you. A side-by-side comparison of our reproduction manuals with those from many other vendors will usually reveal an overall better appearance, construction, and print quality. Sometimes strikingly so. Our Customer Comments page is a fraction of what we receive from real customers and electronics technicians. The vast majority of our printed reproduction manuals are Very Good to

Excellent on our Guaranteed Quality Ratings scale. But every single item is not and we refuse to give a false impression that they are. We want you to see a detailed description and individually assigned quality rating before you purchase. This time-consuming extra service is almost never provided by our competitors. Customer complaints are nearly zero, perhaps one per 500,000 sales. We believe that virtually none of our competitors could truthfully make a similar claim. <http://ecoverexpert.com/userfiles/conair-hair-curler-manual.xml>

We are a USA based family business operating oldschool style. That means real people trying to serve you as if we were a walk-in store in your local neighborhood. We always combine shipping on multiple item orders and do not rip you off on shipping charges. If interested, check out About Our Manuals and other site sections with the menu links at the top of all pages. If you would like for us to be here in the future, you can help by telling your friends and by sharing links to our site in your discussion groups, forums, blogs and web sites. We have been slowly updating these manuals lists over the years. As time allows we will replace the spare Factory ORIGINAL Manuals Catalog section with the same page format as these here in the reproduction manuals section. We also have more than 400 Gigabytes of various manuals, schematics, brochures, etc in mostly PDF format. They number perhaps 400,000 files. Truth is that we may never get them listed on our site. But they are available. Click here for further PDF manuals information. If an item has a description and Price Code, then CLICK THAT PRICE PRECISELY identify the item you want with company brand. If you want multiple Whether your email is to order Tell us EXACTLY You may find Individually assigned Overall quality is Very Good to Excellent. Overall quality is Very Good Overall quality is Very Good Overall quality is Very Good to Excellent. Overall quality is Very Good Our original is a single side printed copy. We have restored it to double side printed and cleaned up a lot of extraneous printing in the margin areas. Overall quality Overall quality We include a copy of AM5P Overall quality is Very Overall quality is Very Good to Excellent. Overall quality is Very The original Overall quality is Very Good to Overall quality is Very Good Overall quality is Very Good to Excellent. Tech Bulletin only.

Manual Overall quality is Normally folded and mailed in ordinary business System consists of possibly Models covered AM25P, Acoustimass 25 Overall quality is Very Good to Excellent. See AM25P II Digital Bass Modules Recommended by Bose for troubleshooting all Digital Used in possibly others Lifestyle Designed to be used with our System consists of possibly others Overall quality is Very Good Models covered AMSE5, Acoustimass Overall quality is Very Good to Excellent. If an item has a description and Price Code, then CLICK THAT PRICE PRECISELY identify the item you want with company brand. If you want multiple Whether your email is to order Tell us EXACTLY You may find Individually assigned It makes a difference. Seekers of truth may Images may be used with. Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need djvu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant AUDIO forum topics Bose Lifestyle CD20 FLC kijelzo halvány Sziasztok! A fenti kiegészítőknek halvány a kijelzése. Eleg erdekesen van megoldva a kijelzo tapfeszése, sokban fugg a bejovo 12VAC feszultsegtol. Kerdesem az lenne, hogy a futest probaljam emelni, vagy a 24Vot. A D8on a 30V is kevesebb, de az AC 4.5V is. Melyik befolyasolja jobban a fenyerot. A futes, vagy a negativ tapfesz Udv Jacint BOSE bekotesi rajz Legyszi legyszi ha valaki tudnasegiteni egy BOSE AMP2440as erosito bekoteseben, azt nagyon szepen megkoszonem. Ez AUDI A3asbol van, a steker nincs meg.

<http://www.drupalitalia.org/node/77660>

Basszus vegfoka 23mp mulva megfut vagy pozitivba vagy negativba ha nincs a hangszoro rarakva,

hangszoroval azonnal letilt, amikor a kimeneten eljut DC 4Vig a vedelem lekapcsolja relevel az erositot. Mikor a MUTE hibát kerestem, volt olyan eset is, hogy nem futott meg a kimenet es szolt a basszus rendesen, de ujboli bekapcsolaskor ha nem halkítottam le a potit akkor kikapcsolt a rele, ha lehalkítottam akkor jo lett, de nagyon susogott, arra hasonlított mint amikor FM radio nincs az allomason, van egy kozos mute tranzisztor az kapcsolja az osszes tobbit, ha azt kizsedtem akkor is megmaradt a susogas, szerintem visszafele jott valamelyik oldalrol ezert szedtem ki mindegyik oldalrol a tranzisztorokat, nem akartam bajlodni vele, hogy honnet jon a susogas vissza. Mi lehet a gond Bose Sounddock 1 tapegyseg csati Sziasztok. Egy baratom megkert, hogy talaljak vagy gyartsak egy tapegyseget a Bose dokkolojahoz. Sajnos az eredetiket aranyarban adjak, igy gyartanom kell egyet. Talaltam is egy elegans kis 4 pinos csatit, de fennakadtam az eredeti csatlakozo labkiosztasan. Talaltam egy rajzot de nem tudom eldönteni, hogy a kabeleken levot abrazolja, vagy a dokkoloban levot. Ha valakinek dolga volt ilyennel, es tudna segiteni, kerem ne tartsa vissza magat. Koszonom.. Similar manuals You can write in English language into the forum not only in Hungarian. Ask your question here. Provide a clear and comprehensive description of the issue and your question. The more detail you provide for your issue and question, the easier it will be for other Bose Acoustimass 15 owners to properly answer your question. Ask a question About the Bose Acoustimass 15 This manual comes under the category Home cinema sets and has been rated by 1 people with an average of a 8.9. This manual is available in the following languages English. Do you have a question about the Bose Acoustimass 15 or do you need help.

<http://hamlettoquinas.com/images/capnogard-user-manual.pdf>

Ask your question here Bose Acoustimass 15 specifications Brand An HDMI cable is used to transport audio and video signals between devices. Dust in hardtoeach places is best removed with compressed air. This makes it possible to create a 5.1 effect with only 1 speaker.

ManualSearcher.com ensures that you will find the manual you are looking for in no time. Our database contains more than 1 million PDF manuals from more than 10,000 brands. Every day we add the latest manuals so that you will always find the product you are looking for. Its very simple just type the brand name and the type of product in the search bar and you can instantly view the manual of your choice online for free. ManualSearcher. com If you continue to use this site we will assume that you are happy with it. Read more Ok. All manuals on ManualsCat.com can be viewed completely free of charge. By using the Select a language button, you can choose the language of the manual you want to view. Francais EspanolPlease take the time to follow this owner's guide carefully. It will help you set up and operate your system properlyPlease save your owner's guide for future reference. For your safetyWARNING No naked flame sources, such as lighted candles, should be placed on the apparatus. These CAUTION marks are located on the rear of the Acoustimass module. The lightning flash with arrowhead symbol within an equilateral triangle is intended to alert the user to theThe exclamation point within an equilateral triangle, as marked on the system, is intended to alert the userCAUTION To prevent electric shock, match the wide blade of the line cord plug to the wide slot of the AC mainsAdditional safety information. See the additional safety information on the Important Safety Instructions page enclosed with your speaker system. For your records. The system serial number is located on the rear of the Acoustimass module. Please keep your sales receipt and warranty card together with this owner's guide.

<http://internetdeputy.com/images/capnocheck-8400-manual.pdf>

No part of this work may be reproduced, modified, distributed or otherwise used without prior written permission. Manufactured under license from Dolby Laboratories. "Dolby" and the doubleD symbol are trademarks of Dolby Laboratories. Confidential Unpub. All rights reserved.EspanolFrancais EspanolEach system features a combination of cube speaker arrays,Together, they reproduce the !Unpacking the carton. Carefully unpack the carton contents as followsWARNING To avoid injury, use care in lifting the module, which weighs 33 pounds 15 kg.

Save all packing materials, which provide the best means to transport the system, for !If any parts appear damaged, do not use them. Instead, repack the system in the original !Or, to contact Bose directly, refer to theFigure 1. Carton contents. Acoustimass moduleThree 20ft 6.1 mWith Acoustimass 15 Series III system With Acoustimass 16 Series II system. Rubber feet. Four cube array speakers Five cube array speakers. Two 50ft 15.2 mThree 50ft 15.2 mPower cord 1. CenterCenterNow is a good time to record the serial number for this system on page 2 of this guide and onWARNING To avoid danger of suffocation, keep the plastic bags that wrap these speakers outEspanol. Choosing locations for your speakers. Keep these guidelines in mind when choosing a location for each speaker. Vibration can cause them to move, particularly on smooth surfaces like marble, glass, orTo prevent this problem, rubber feet are provided for attachment toNote You may order additional rubber feet, free of charge, by contacting Bose. Refer to theThe shape and size of your room and location of the furniture in it will affect your choice ofFigure 2. Sample speaker placementAcoustimass 16 systemAcoustimass 15 systemFrancais EspanolPlacing the center front speaker.

Sound from the center front speaker should seem to come from within the picture to give theDo NOT rest theCAUTION Before placing the center front speaker on top of a television, attach the fourPosition two of the feet near the front edge andPlace the other two feet in the rear corners on the bottom. Placing your left and right front speakers. The goal for these speakers is to create a sound image that is wider than the screen andPlacing your rear speakers. While the rear surround speakers may deliver some dialogue, they serve primarily to !They help bring theChoose locations that are practical and convenient, while considering these recommendedEspanolSo feel free to hide it from view, andImpeding ventilation can cause a reduction in the bassfrequency output from the module. Figure 3. Position options for your. Acoustimass module. Preferred Alternate. Front opening Ventilation grille. Making the connections. Only the Acoustimass module connects to your receiver. The small center front speaker andWARNING Connecting the small speakers to a receiver can result in damage to your systemConnecting speakers to the Acoustimass module. Insert the connector on each speaker cable into the jack on the module. Refer to the label onFigure 4. Speaker cable connectionRed collarMatched labels. SuppliedCubespeakerarrayInsert the connectors, as labeled, into jacks on the module as follows!Francais EspanolInsert them into the jacks on the module as follows. This speaker is provided only with anNotice a label on each red collared wire that matches it to the proper speaker. Note The Acoustimass 15 Series III system is designed for use with an optional center rear cubeFigure 5. Completing connections ofAcoustimass module. Red collared wireRed terminal. RightLeftCenterAcoustimass 16 system moduleEspanolThe system input cable is 20 feet 6.1 meter long and connects the Acoustimass module toUnlike the speaker cables, this input cable has a multipin !Figure 6.

[www.iso-clean.fr/wp-content/plugins/formcraft/file-upload/server/content/files/1626d8e6e4324f--3m-x90w-manual.pdf](http://www.iso-clean.fr/wp-content/plugins/formcraft/file-upload/server/content/files/1626d8e6e4324f--3m-x90w-manual.pdf)

System input cableModule input jack. System inputAt the other end of the system input cable, multiple wire pairs that “unzip” for easy reach andCAUTION Do NOT connect your module to the TV, which lacks the required amplification. The single RCA connector at that end is for use ONLY with a receiver that handles. Figure 7. Unzipping the paired wires. Wire pairCAUTION Before making these connections, turn off your receiver to prevent unwanted noisesTo make the connections Figure 8 on page 10Acoustimass module. Tighten the two thumbscrews to secure the connection.The specific labels on your receiver may differ slightly. CAUTION Do not allow exposed wires to brush against each other; this could damage yourRemove the cover first.Francais Espanol. Figure 8Thumbscrews. LFE connector withHome theaterChecking and finalizing connections. Before plugging in the Acoustimass module, check all connections from the receiver to theIncorrect wiring can result in a total loss of module output. When all the connections check out, plug the power cord

from the Acoustimass module into Plug in the receiver also. Note Bose recommends using a quality surge suppressor on all electronics equipment. Voltage variations and spikes can damage electronic components in any system. Using a highOptional upgrade for your Acoustimass 15 system. Your Acoustimass 15 Series III speaker system can be upgraded to provide you with 6.1 !The 6.1 upgrade kit contains one cube speaker array, a 50foot 15.2 m connecting cable,To purchase the 6.1 upgrade kit in the same color as your current system, contact your localWhen ordering, you will need to provide the serial number of your Acoustimass module. Refer to "For your records" on page 2 if you recorded the number there. If not, you can locateEspanolYou may want to familiarize yourself with the controls and builtin protections that adjust !They offer options to suit your particular style of use and !

CAUTION This system provides an automatic protection circuit to help guard against damageAt high volume levels, the circuit activates toIf you notice this decrease, be aware thatThis volume reduction also indicates that power inputSustained listening at these levels is not recommended. Figure 9. Audio adjustment knobs. After placing the Acoustimass module where you want it, you can finetune it for that !For exampleThe setting made at the factory is meant for use in the most common room arrangements. Adjusting the LFE level. The LFE lowfrequency effects level control shown above is for use only with receivers that. By turning the knob, you can adjust the relative level of the lowfrequency effects from movieYou can check all levels by using the "test tones" feature on your digital surround soundFrancais Espanol. Setting your digital surround sound receiverThe system's integratedTo gain complete advantage of these system capabilities, you may want to adjust some!To make changes, use the digital display menu on the receiver andSpeaker Receiver setting. Note If your receiver provides it, the LFE or Subwoofer option setting should be ON and theReceiving a digital audio signal. For the digital audio signal from your DVD player to reach your surround receiver, you need aFor additional setup and operating information, please refer to the owner's guide that cameFigure 10. Digital signal receiverUse one or the other. NOT both. Setting your analog surround sound receiver. For analog nondigital surround sound applications, we recommend that you set the !For instructions on how to change thisEspanolProblem What to do. System does not functionAC outlet and that the receiver is plugged in and turned on. DVD player with the digital input on your receiver. For example, select DVD audio on yourDVD player, or other surround sound source. Not enough or too muchCustomer service.

For additional help in solving problems, contact the Bose Customer Service office appropriCleaning the speakers. The cabinets of your Acoustimass speaker system may be cleaned only with a soft dry cloth. Do not use any sprays near the system or allow liquids to spill into any openings. Also, do notThe grille assemblies on the cube arrays may be carefully vacuumed, if necessary. PleaseFrancais Espanol. Limited warrantyPlease fill out the information section on the card and mail it to Bose. Failure to do so, !Accessories. Bose offers the following accessories in colors to match and add to your enjoyment of the. Acoustimass speaker system.For further details or to place an order for the accessories described above, contact yourFor further information or to order the accessories below, contact your authorized BoseTechnical information. Speaker driver complementSystem power rating. CompatibilityEach cube speaker array and center front speaker 2.4 lb 1.1 kg!Acoustimass module 45 lb 20.3 kg!Packed system weight. Acoustimass 16 Series II system 72.5 lb 32.6 kg! Acoustimass 15 Series III system 75 lb 33.8 kgFramingham, MA 017019168 USA. AM293692 Rev.01 CCM003041Guia de usuario. Notice d'utilisationPerhaps the users of ManualsCat.com can help you answer your question. By filling in the form below, your question will appear below the manual of the Bose Acoustimass 15. Please make sure that you describe your difficulty with the Bose Acoustimass 15 as precisely as you can. The more precies your question is, the higher the chances of quickly receiving an answer from another user. You will automatically be sent an email to inform you when someone has reacted to your question. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping

Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment.

If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods and will depend on when your payment clears opens in a new window or tab. Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 2. Sellers may be required to accept returns for items that are not as described. Learn more about your rights as a buyer. opens in a new window or tab You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. Customer is No 1 priority. Thank you. Prompte Lieferung per email Agreement. Gerne wieder. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Tab 7, 15. Tab 6, 14. Tab 5, 13. Tab 4, 12. Tab 3, 11. Tab 2, 10. English. Safety Information. Please read this owner's guide. Please take the time to follow the instructions in this owner's guide carefully. It will help you set up and operate your Please save this owner's guide for future reference. **WARNING** To reduce the risk of fire or electrical shock, do not expose the product to rain or moisture. **WARNING** Do not expose this apparatus to dripping or splashing, and do not place objects filled with As with any electronic products, use care not to spill The lightning flash with arrowhead symbol within an equilateral triangle alerts the user to the presence of The exclamation point within an equilateral triangle, as marked on the system, is intended to alert the user to the English. Tab 2, 10. Tab 8, 16.

**CAUTION** Make no modifications to the system or accessories. Unauthorized alterations may compromise safety, **CAUTION** Do not use any liquid cleaning solutions, solvents, chemicals, alcohol, ammonia, or abrasives. **CAUTION** Do not allow liquids to spill into any openings in the enclosure. If liquids get into the unit, turn it off immediately. See the address list included in the carton. **WARNING** Keep the remote control battery away from children. It may cause a fire or chemical burn if mishandled. Do not recharge, Replace only with a battery of the correct **WARNING** Danger of explosion if battery is incorrectly replaced. Replace only with Duracell, Eveready, Energizer, Maxell, Toshiba, or Shun Wo CR2032 or DL2032 3volt lithium battery. Please dispose of used batteries properly, following any local regulations. Do not incinerate. **WARNING** Do not place any naked flame sources, such as lighted candles, on or near the apparatus. **WARNING** Contains small parts that may be a choking hazard. Not suitable for children under age 3. Note The product label is located on the bottom of the product. Note Where the mains plug or appliance coupler is used as the disconnect device, such disconnect device shall remain readily **Note** This product is intended for use only with the power supply provided. Tab 8, 16. This product conforms to all EU Directive requirements as applicable by law. The complete Declaration of Conformity. For the SoundLink™ USB key. This device complies with FCC and Industry Canada RF radiation exposure limits set forth for general population. It must not be This device complies with Part 15 of the FCC Rules, Operation is subject to the following two conditions 1 This device may not In Canada, operation is subject to the following two conditions 1 this device may not cause interference and 2 this device must For the SoundLink™ adapter.

To comply with FCC and Industry Canada RF radiation exposure requirements, this device must be installed to produce a It must not be colocated or operating in conjunction with any other antenna This product complies with the Canadian ICES003 Class B and RSS210 specifications. In the U.S. only, this product complies with CFR 47 Part 15 specifications. Additional safety information See the additional instructions on the Important Safety Instructions sheet North America

onlyEnglish. Contents. Manually linking the SoundLink™ adapter and USB key.....Tab 7, 15. Product parts. There are two versions of the SoundLink™ kit. Identify your kit as A. or B. and follow the instructions that apply. A. Using a kit with basic contents only. If you have only the basic contents kit directlyBasic contents. SoundLink™SoundLink™. USB key. SoundLink™B. Using a kit with both basic and upgradeIf you have all of the contents shown belowUpgrade contents. Upgrade CD. Adapter power packTab 2, 10. Upgrading your Wave music system, as needed. If your kit includes an upgrade CD, it is important to use the CD before making any SoundLink™Follow this procedureWhen the update is complete, the system ejects the disc. Your system is now compatible withTab 8, 16. Preparing your Wave music system or Wave radio II for wirelessBose linkBose linkIt does not need to be within view. If the adapter is to the left of the system as you face it, be sure the two are at leastEnglish. If your kit includes an adapter power packTab 8, 16. Preparing your computerIf no text appears, see "Troubleshooting" on page 11.To locate a USB port on yourIf you are using a USB hub withUSB keyEnglish. Tab 8, 16FlashingIt may take up to 20SoundLink™ adapter flash rapidly.Then open a music application or locate an Internet radio station and set the music to play.

Important for Mac computer users On first using the USB key, you may need to open yourNote While listening to music from your computer, no sound plays through the computer's internalOn some computers, you can choose a separate audio output for yourTab 8, 16. Press the button on the end of the SoundLink™ USB key. Then remove the USB key from theButton. When you plug the SoundLink™ USB key into the USB port on your computer, it should. Make sure your system is turned on and. COMPUTER appears on the system display. If you have problems connecting, see "Troubleshooting" on page 11. Listening to music on your computer. Your SoundLink™ kit remote control gives you access to the music on your computer. It works. The buttons that operate with your computer include. Mute. VolumeCD track or music track on yourThe new remote provides all of theTab 8, 16. Battery replacement. It may cause a fire or chemicalReplace only with a battery of the correct type and model number. CAUTION Danger of explosion if battery is incorrectly replaced. Replace only with Duracell. Eveready, Energizer, Maxell, Toshiba, or Shun Wo CR2032 or DL2032 3volt lithium battery. Troubleshooting. Problem. Computer does notUSB key in its list ofIf you are using a powered USB hub, try movingUSB key again.English. ProblemSymptom A. SOUNDLINK or. COMPUTER neverTab 3, 11. What to doRefer to the address list included in the carton. Or see Symptom B on theTab 7, 15. ProblemSymptom B. CONNECTING remainsOr, see Symptom A on theTab 5, 13. What to doOr use a USB extension cable,English. No sound when theTab 3, 11. What to doCOMPUTER should be displayed.Audio" is selected as the audio output device.Tab 7, 15. What to do. Reception of sound from thePlug the USB key into the appropriate end of the cable and the computerService. Refer to the address list included in the carton.Note Not all players and Internet radio services support this form ofTab 2, 10.

<http://www.drupalitalia.org/node/77661>